

A Final Fix For Rabbits On New & Older Wooden Hives





Instructions Manual

Need more help?
Please visit online help at www.ecobeebox.com

Important Instructions

- 1. Read these instructions
- 2. Keep these instructions
- 3. Follow all instructions
- 4. Only use tools, attachments, accessories specified by Eco Bee Box
- 5. Metal rabbet is the same length as the opening
- 6. Table saw required to remove old rabbet
- 7. Use eye protection
- 8. Do not attempt to remove the old rabbet if the box joints are weak

Welcome

Congratulations on becoming an owner of Eco Bee Box Hive Solutions new generation products! You made an excellent choice, that will improve your equipment.

This Eco Bee Box rabbet was developed as a replacement for the weak damage prone frame rest area of your hive. New boxes can be retrofitted, as well as old boxes. Once a box rabbet is broken, it is either discarded or a poor wooden replacement is made. This rabbet replacement saves time. Not only will it last longer but you can remove it and place it on another hive when needed.


10 pieces per kit, enough to retrofit 5 boxes.



STEP 1

Remove Old Rabbit


A standard rabbet is 5/8". To account for the thickness of the metal measure 11/16" from the fence to the outside of the blade. Set the blade at 3/4" of an inch deep. Wear goggles, there maybe nails your blade cuts through.



STEP 2

Messure New Eco-Bee Replacement Rabbit


Measure the rabbet side of your woodenware and the new Eco Bee Box replacement rabbet, they should be the same length.



STEP 3

Remove Old Rabbit

Place your new replacement rabbit in place. Can be glued, nailed or screwed in place.








Office 801-263-6666 • Cell 801-654-9700 5033 South Commerce Dr. • Murray, UT 84107 albert@ecobeebox.com





















Follow us on your favorite social media sites.



